

Patent Abstracts of Japan

PUBLICATION NUMBER : 55097408
 PUBLICATION DATE : 24-07-80


APPLICATION DATE : 16-01-79
 APPLICATION NUMBER : 54002168

APPLICANT : KAWASAKI STEEL CORP;


INVENTOR : NAKANISHI KYOJI;



INT.CL. : C21B 3/06 C21C 5/00



TITLE : DEPHOSPHORIZATION AND
 DESULFURIZATION OF MIXED SLAG
 OF BLAST FURNACE AND
 CONVERTER



ABSTRACT : PURPOSE: To reduce P and S content of slag to an amount capable of using slag in a recycle manner by a mechanism wherein one or more of C.Si or Mg is added to a mixture of molten blast furnace slag and molten converter slag and, moreover O₂ gas is blown into the said mixture.

CONSTITUTION: Into a mixture of molten blast furnace slag and molten converter slag, one or more of C.Si or Mg is added and, moreover O₂ gas is blown to transfer P and S within a mixed gas to a gas phase as shown by a formula. By above described added element which also functions as heat source, SiO and CO₂ gas are produced and these gas is reacted with slag to transfer P to a gas phase and to promote desulfurization at the same time.

COPYRIGHT: (C)1980,JPO&Japio